The University of New Orleans

Web-STAR (PeopleSoft Campus Solutions v 9.0): Allowing Pop-Up Windows in PeopleSoft



Allowing Pop-Ups in PeopleSoft

Participateat the end of this aid, you will be able to.....**Objectives**

1. Allow Pop-Ups

If you have any questions about this document please contact the Training group at 504-280-5645 or visit us at UCC-101Q.

LAST REVISED: 10/19/2010 3 Allowing Pop-Ups In PeopleSoft

Table of Contents

Allowing Pop-Ups (Internet Explorer)	. 4
Allowing Pop-Ups (Fire Fox)	. 5

Allowing Pop-Ups (Internet Explorer)

PeopleSoft sometimes uses pop-up windows to display information you request. If your browser is set to block pop-up windows by default then you will not be able to retrieve requested information. If you click on a processing button such as Print Transcript or Print Study list and nothing happens then you need to adjust your browsers pop-up blocker settings.





Allowing Pop-Ups (Fire Fox)

Step 1.

Fire Fox- Tools, Options, Content.



Step 2.	Select the Exceptions button.

Options		-	_			×		
		页		90		÷.		
General	Tabs	Content	Applications	Privacy	Security	Advanced		
Block pop-up windows Exceptions								
✓ Load images automatically Exceptions								
🔽 Enable	Enable JavaScript Advanced							
Fonts & Colors Default font: Times New Roman ✓ Size: 16 ✓ <u>C</u> olors								
Choose yo	Choose your preferred language for displaying pages Choose							
OK Cancel <u>H</u> elp								

Step 3.

Enter the address and select **Allow**.

Allowed Sites - Pop-ups	
You can specify which web sites are allowe the exact address of the site you want to al	d to open pop-up windows. Type low and then click Allow.
	Allow